

Computability and Complexity

Sample Exam Questions

Wolfgang Schreiner
Wolfgang.Schreiner@risc.jku.at

Family Name:

Given Name:

Matriculation Number:

Study Code:

Total: 100 Points.

≥ 50 Points: GEN4

≥ 63 Points: BEF3

≥ 75 Points: GUT2

≥ 88 Points: SGT1

Note: these questions amount to substantially more than 100 points.

1. (20P) Let L be the language over the alphabet $\{0, 1\}$ whose words contain the string 10, but not at the beginning of the word (e.g., the words 010 and 110 are in L , but not 01, 10 or 101).
 - a) (4P) Give a regular expression that denotes L .
 - b) (6P) Define a non-deterministic finite state machine $M = (Q, \Sigma, \delta, S, F)$ whose language is L (the transition function by both a table and a graph).
 - c) (6P) Define a deterministic finite state machine whose language is L .
 - d) (4P) Define a finite state machine whose language is the complement of L .
2. (10P) Construct a non-deterministic finite state machine whose language is denoted by the regular expression $1 + (2^* + 1 \cdot 2^* \cdot 3 \cdot (2 + 3)^*)^*$.
3. (16P) Which of the following languages over the alphabet $\{0, 1\}$ are regular? Justify your answers in detail.
 - a) (4P) $L_a := \{0^m : m \in \mathbb{N} \wedge 2|m \wedge 3|m\}$
 - b) (4P) $L_b := \{0^m 1^n : m, n \in \mathbb{N} \wedge 2|m \wedge 3|n\}$
 - c) (4P) $L_c := \{0^m 1^n : m, n \in \mathbb{N} \wedge m|n\}$
 - d) (4P) $L_d := \{0^m 1^n : m, n \in \mathbb{N} \wedge m|n \wedge 0 < n < 1000\}$
4. (25P) Let $\langle M \rangle$ denote the code of a Turing machine M with alphabet $\{0, 1\}$. Which of the following languages are recursively enumerable and/or recursive? Justify your answers in detail.
 - a) (5P) $L_1 := \{\langle M \rangle : 10101 \in L(M)\}$
 - b) (5P) $L_2 := \{\langle M \rangle : 10101 \notin L(M)\}$
 - c) (5P) $L_3 := \{\langle M \rangle : L(M) \neq \emptyset\}$
 - d) (5P) $L_4 := \{\langle M \rangle : L(M) = \emptyset\}$
 - e) (5P) $L_5 := \{\langle M \rangle : L(M) \text{ ist recursively enumerable}\}$
5. (15P) Are the following statements true or not? Justify your answers in detail.
 - a) (5P) If L_1 and L_2 are recursive languages, then also their difference $L_1 \setminus L_2$ is recursive.
 - b) (5P) If L_1 is recursively enumerable and L_2 is recursive, then their difference is recursively enumerable.
 - c) (5P) If L_1 and L_2 are recursively enumerable, then also their difference is recursively enumerable (hint: consider $L_1 = \Sigma^*$).

6. (25P) Are these statements true or not? Justify your answers in detail.

Let L be the set of strings of form ' $1^n + 1^m = 1^{n+m}$ ' (e.g. "111+11=11111" is in L).

- (5P) There exists a regular expression R with $L(R) = L$.
- (5P) There exists a grammar G with $L(G) = L$.
- (5P) There exists a Turing machine M with $L(M) = L$.
- (5P) L can be generated by a Turing machine.
- (5P) L is recursive.

7. (15P) Construct a LOOP program which computes the function $s(n) := \sum_{i=1}^n i$.

Furthermore, give a primitive recursive definition of s or argue why this is not possible.

8. (12P) Are these statements true or not? Justify your answers in detail (e.g., by a corresponding construction).

- a) (4P) For every primitive-recursive function f ,

$$t(n) := \min i \in \mathbb{N} : f(i) = n$$

is μ -recursive; t is even primitive recursive.

- b) (4P) For every primitive-recursive function f , the function

$$t(n, m) := \min i \in \mathbb{N} : n \leq i < m \wedge f(i) \neq 0$$

is primitive recursive.

- c) (4P) For every primitive-recursive function f , the function

$$t(n, m) := \begin{cases} m & \text{if } \forall i \in \mathbb{N} : n \leq i < m \Rightarrow f(i) = 0 \\ \min i \in \mathbb{N} : n \leq i < m \wedge f(i) \neq 0 & \text{else} \end{cases}$$

is primitive recursive.

9. (10P) Is the following problem semi-decidable by a Turing machine? If yes, give an informal construction of this machine (pseudo-code and/or diagram plus explanation). If not, then justify your answer in detail.

Decide for given Turing machine codes $\langle M_1 \rangle$ and $\langle M_2 \rangle$, whether $L(M_1) \cap L(M_2) \neq \emptyset$.

Answer the question also for the problem $L(M_1) \cap L(M_2) = \emptyset$.

- (10P) Formally prove or disprove $5n^2 + 7 = O(2^n)$ (hint: in a separate proof by induction, you may prove $\forall n \geq 4 : n^2 \leq 2^n$).
- (10P) Formally prove that for all $n = 2^m$, the recurrence $T(1) = 1, T(n) = 4 \cdot T(n/2)$ is solved by $T(n) = n^2$.
- (10P) Formally prove $\forall n \in \mathbb{N} : \sum_{k=1}^n k^2 = n \cdot (n+1) \cdot (2n+1)/6$.

13. (15P) Let $T(n)$ be the number of times that the command C is executed in the following program.

```

for (i=0; i<n; ++i)
  for (j=i+1; j<n; ++j)
    for (k=i; k<j; ++k)
      C;

```

- Give an explicit definition of $T(n)$ by a nested sum and derive from this an asymptotic estimation $T(n) = \Theta(\dots)$.
- Compute $T(4)$ (hint: construct a table that shows for each pair i, j , how often the k -loop is executed).
- Give an explicit definition of $T(n)$ (hint: consider how often in the table constructed above the same entry occurs).
- Give an explicit definition of $T(n)$ without using a summation symbol (hint: you may reuse the result of the previous question).

14. (10P) Consider two programs with the following shape

<pre> P1(a, b, ...): n = b-a; for (i=0; i<n; i++) for (j=i; j<n; j++) ... return ... </pre>	<pre> P2(a, b, ...): n = b-a; if (n <= 0) return ...; for (i=0; i<7; i++) { c = ...i...; ...; P2(c, c+n/3, ...); ...; } return ... </pre>
---	---

where the parts marked as “...” are executed in time $O(1)$.

Which program runs faster for large input measures? Justify your answer in detail.

15. (25P) Take the function

```

static void P(int[] a, int i) {
  if (i == a.length) {
    System.out.println(Arrays.toString(a));
    return;
  }
  int t = a[i];
  for (int j=i; j<a.length; j++) {
    a[i] = a[j]; a[j] = t;
    P(a, i+1);
    a[j] = a[i];
  }
}

```

```

}
a[i] = t;
}

```

We are interested in the number $T(n)$ of (recursive) invocations of P arising from a call of $P(a, 0)$ for an array a of length n .

- a) (5P) Sketch a recursion tree for $P(a, 0)$ for $n = 4$. What is the number of nodes in each level of the tree?
- b) (5P) Give a recurrence for $T(n)$.
- c) (5P) Give the result of $T(n)$ as a summation.
- d) (10P) Does $T(n) = O(2^n)$ hold? Does $T(n) = O(n^n)$ hold? Justify your answers in detail.

16. (35P) Are these statements true or not? Justify your answers in detail.

- a) (5P) If both $f : \{0\}^* \rightarrow \{0\}^*$ and $g : \{0\}^* \rightarrow \{0\}^*$ are Turing-computable in polynomial time, then also $f \circ g$ is.
- b) (5P) If there is a problem in \mathcal{NP} that can be also solved deterministically in polynomial time, then $\mathcal{P} = \mathcal{NP}$.
- c) (5P) If $\mathcal{P} \cap \mathcal{NPC} \neq \emptyset$, then $\mathcal{P} = \mathcal{NP}$.
- d) (5P) If a problem P is decidable by a deterministic Turing machine, then also its complement is.
- e) (5P) If a problem P is decidable by a deterministic Turing machine in polynomial time, then also its complement is.
- f) (5P) If a problem P is decidable by a nondeterministic Turing machine, then also its complement is.
- g) (5P) If a problem P is decidable by a nondeterministic Turing machine in polynomial time, then also its complement is.