



Object-Oriented Programming in C++

(Course “Programming 2”)



Wolfgang Schreiner
Wolfgang.Schreiner@risc.jku.at

Research Institute for Symbolic Computation (RISC)
Johannes Kepler University, Linz, Austria
<https://www.risc.jku.at>




Wolfgang Schreiner

<https://www.risc.jku.at>

1/50

Overview



A continuation of the course “Programming 1” in the last semester.

- **Last semester:** (mostly) procedural (“imperative”) prog. in C++.
 - Focus on organization of control flow.
 - Passive entities (“data”) processed by active entities (“functions”).
 - Programs organized as sets of functions.
- **This semester:** (mostly) object-oriented programming in C++.
 - Focus on organization of data.
 - “Classes” combine data and functions to “objects”.
 - Programs organized as sets of classes.

Modern approach to “programming in the large”.

1. Overview

2. Development

3. Graphical Output


4. Text Input and Output

Wolfgang Schreiner

<https://www.risc.jku.at>

2/50

Example



```
struct Date {  
    int day;  
    int month;  
}  
  
static void print(Date d)  
{  
    cout << d.day << ". "  
        << d.month << ". "  
}  
  
Date d;  
d.day = 24;  
d.month = 12;  
print(d);  
  
class Date {  
private:  
    int day;  
    int month;  
public:  
    Date(int d, int m) {  
        day = d;  
        month = m;  
    }  
    void print() {  
        cout << day << ". "  
            << month << ". "  
    }  
}  
Date d(24, 12);  
d.print();
```

Wolfgang Schreiner

<https://www.risc.jku.at>


3/50

Wolfgang Schreiner

<https://www.risc.jku.at>

4/50

Topics




- **Classes:** combining data and functions.
 - Classes versus records ("structs").
 - Construction, destruction, assignments.
 - Static members versus non-static members.
- **Inheritance:** building class hierarchies.
 - Classes and subclasses.
 - Virtual functions and overriding.
 - Abstract classes, interfaces, frameworks.
- **Templates:** type-generic ("polymorphic") programming.
 - Function templates.
 - Class templates.
- **The C++ Standard Library:** reusing existing functionality.
 - Basic features (I/O, numerics, etc.).
 - Containers, iterators, and algorithms.

Wolfgang Schreiner

<https://www.risc.jku.at>

5/50



Organization


- **Lecture:** concepts and examples.
 - Slides, blackboard, online demonstrations.
- **Assignments:** moderate programming exercises.
 - 6 assignments are given.
 - Results to be submitted within 2 weeks.
 - Teaching Assistants: Gabriel Eckertsberger and Thomas Michlmayr.
 - See the course site for the date of the meeting offered every week.
- **Grades:** based on final exam and assignments.
 - Final exam (50%): concepts and small programming tasks.
 - Assignments (50%): best 5 results are evaluated.
 - Both exam and assignments have to be positive.
- **Literature:** no lecture notes, get a C++ textbook!
 - C++ is complex and involves many details.
 - Lecture notes could not provide a reasonable substitute.

Wolfgang Schreiner

<https://www.risc.jku.at>


6/50

Literature



- Jürgen Wolf, Martin Guddat: *Grundkurs C++*, Rheinwerk Computing, 4. Auflage, 2021.
- 18 chapters, 495 pages.
- Chapters 1–10: previous semester.
- Chapters 11–18: this semester.
- EUR 15,40 (Amazon).


Compact C++ introduction in German.



Wolfgang Schreiner

<https://www.risc.jku.at>

7/50



Literature

- Thomas Theis, *Einstieg in C++*, Rheinwerk Computing, 2. Auflage, 2020.
- 17 chapters, 547 pages.
- Chapters 1–9: previous semester.
- Chapters 10–14: this semester.
- EUR 27,92 (Amazon).

Compact C++ introduction in German.




Wolfgang Schreiner

<https://www.risc.jku.at>


8/50

Literature



- Torsten T. Will, *C++: Das umfassende Handbuch*, Rheinwerk Computing, 3. Auflage, 2024.
- 29 chapters in 4 parts, 1172 pages.
- Part I: previous semester.
- Parts II-IV (selected): this semester.
- EUR 41,10 (Amazon).


Comprehensive C++ introduction in German.



Wolfgang Schreiner

<https://www.risc.jku.at>


9/50



Literature


- Stanley B. Lippman, Barbara E. Moo, Josee Lajoie *C++ Primer*, Addison-Wesley, 5th edition, 2012.
- 19 chapters + appendix, 900 pages.
- Chapters 1–6: previous semester.
- Chapters 7–16: this semester.
- EUR 56,09 (Amazon).

Comprehensive C++ introduction in English.




10/50

Literature



- Bjarne Stroustrup, *The C++ Programming Language*, 4th edition, Addison-Wesley, 2013.
- 44 chapters, 1300 pages.
- Chapters 1–15: previous semester.
- Chapters 16–33: this semester.
- EUR 28,46 (Amazon Kindle).


Not an introduction, but the full reference.



Wolfgang Schreiner

<https://www.risc.jku.at>

11/50



Free Resources

Plenty of free resources in the web.

- C++ language tutorial.
 - 140 pages (PDF), short overview of main language features.
- C++ library reference.
 - A hypertext reference for the C++ standard library.


See the course site for the URLs.

Wolfgang Schreiner

<https://www.risc.jku.at>

12/50

C++ Standards




We mainly present the original C++98 standard (revised as C++03) with a few selected features from newer versions.

- Newer: C++11, C++14, C++17, C++20, C++23.
 - C++17 still seems to be most widely used in industry (with C++20 gaining steam).
- Current: C++26.
 - Not yet fully supported in all compilers/IDEs.

<https://github.com/AnthonyCalandra/modern-cpp-features>
https://en.cppreference.com/w/cpp/compiler_support

For easy portability, it may be healthy to be a bit conservative.

Moodle Course




Central point for electronic communication.

- Enrol as a participant in the Moodle course.
 - All forum messages will be sent as emails to registered participants.
- Submit assignments via Moodle.
 - No email submissions are accepted.
- Post questions in the “Questions and Answers” forum.
 - Answered by Wolfgang Schreiner or by one of the tutors.

<https://www.risc.jku.at/people/schreine/courses/ss2026/prog2>


Pointers



We will mostly present the use of classical pointers rather than “smart pointers”.

- **Classical (“raw”) pointers:** `T* p = new T(...); ...; delete p;`
 - Explicit deallocation required to avoid **memory leaks**.
- **Unique pointers:** `unique_ptr<T> u(new T(...));`
 - Cannot be copied.
 - Automatic deallocation when pointer falls out of scope.
 - Only for **temporary** objects (within a function)!
- **Shared pointers:** `shared_ptr<T> s(new T(...));`
 - Can be copied, number of references to object is tracked.
 - Automatic deallocation when object is not referenced any more.
 - Some runtime overhead, only for **non-cyclic** data structures!
- **Weak pointers:** `weak_ptr<T> w = s;`
 - Can be copied from shared pointer, does not increase reference count.
 - Dereferencing: `if (shared_ptr<T> s2 = w.lock()) {..*s2..}`
 - (Mostly) for avoiding cyclic references.

When using smart pointers, be sure to understand their properties/restrictions.




1. Overview

2. Development

3. Graphical Output

4. Text Input and Output

C++ Development



Free integrated development environments (IDEs) for C++.

- **Eclipse IDE for C/C++ Developers**

<https://www.eclipse.org/downloads/packages/>

- GNU/Linux and MacOS X: The GNU C++ Compiler.

- Debian: `apt-get install g++`

- Windows: MSYS2 and MinGW-w64.

<https://www.msys2.org/>

- **Microsoft Visual Studio Community**


<https://www.visualstudio.com/downloads>

A decent IDE makes program development much more productive.


Wolfgang Schreiner

<https://www.risc.jku.at>

17/50



Eclipse IDE for C/C++ Developers





Good support for development and for correcting compilation errors.

Wolfgang Schreiner

<https://www.risc.jku.at>

18/50

Eclipse Debug View




Learn to use a debugger for correcting runtime errors!

Wolfgang Schreiner

<https://www.risc.jku.at>

19/50



1. Overview

2. Development

3. Graphical Output


4. Text Input and Output

Wolfgang Schreiner

<https://www.risc.jku.at>

20/50

Graphical Output



Not in the C++ standard but system-dependent.

- We provide a small portable library for drawing pictures.
 - Based on the Clmg library <https://cimg.eu>
 - Works for GNU/Linux, Microsoft Windows, MacOS X.
- Library consists of three source files:
 - Drawing.h
 - Drawing.cpp
 - CImg.h
- Download files from course site and use for your programs.
 - Drawing.h must be included in sources.
 - Drawing.cpp (includes CImg.h) has to be compiled and linked to executable program.
- Usage is demonstrated in file Main.cpp.



See the course site for more information.

Wolfgang Schreiner

<https://www.risc.jku.at>

21/50

Example




Wolfgang Schreiner

<https://www.risc.jku.at>

23/50

Example (file Main.cpp)



```
#include "Drawing.h"
using namespace compsys;

const unsigned int BLACK = 0x000000;
const unsigned int WHITE = 0xFFFFFFFF;
...


int main() {
    beginDrawing(400, 300, "A Graphical Program");
    drawLine(20, 20, 220, 120);
    drawRectangle(20, 20, 200, 200, BLUE);
    fillRectangle(60, 60, 120, 120, BLUE);
    drawEllipse(21, 21, 198, 198, GREEN);
    fillEllipse (getWidth()/3, getHeight()*2/3, 500, 300, ORANGE);
    int xs[] = { 300, 350, 250 }; int ys[] = { 20, 100, 100 };
    drawPolygon(3, xs, ys, GREEN);
    int xs0[] = { 300, 350, 250 }; int ys0[] = { 100, 20, 20 };
    fillPolygon(3, xs0, ys0, WHITE, BLACK);
    drawText(10, 280, "My Picture");
    for (int i=0; i<getWidth(); i++) drawPoint(i, 10);
    endDrawing();
}
```

Wolfgang Schreiner

<https://www.risc.jku.at>

22/50

Interface (file Drawing.h)




```
void beginDrawing(int width, int height, const char *title,
                  unsigned int color = 0xFFFFFFFF, bool flush = true);
void endDrawing();
void flush();
int getWidth();
int getHeight();
void drawPoint(int x, int y, unsigned int color = 0);
void drawLine(int x0, int y0, int x1, int y1, unsigned int color = 0);
void drawRectangle(int x, int y, int w, int h, unsigned int color = 0);
void fillRectangle(int x, int y, int w, int h,
                  unsigned int fcolor = 0, unsigned int ocolor = NO_COLOR);
void drawEllipse(int x, int y, int w, int h, unsigned int color = 0);
void fillEllipse(int x, int y, int w, int h,
                 unsigned int fcolor = 0, unsigned int ocolor = NO_COLOR);
void drawPolygon(int n, int* xs, int* ys, unsigned int color = 0);
void fillPolygon(int n, int* xs, int* ys,
                 unsigned int fcolor = 0, unsigned int ocolor = NO_COLOR);
void drawText(int x, int y, const char *text,
             int size = 14, unsigned int color = 0);
```

See "Drawing.h" for the detailed specification of the interface.


Wolfgang Schreiner

<https://www.risc.jku.at>

24/50



1. Overview
2. Development
3. Graphical Output
4. Text Input and Output



C Standard Input/Output


Also in C++, the standard I/O functions of C can be used.

```
#include <cstdio>
using namespace std;


int main() {
    char day[20]; int hour; int min;
    printf("Day:    "); scanf("%19s", day);
    printf("Hour:   "); scanf("%d", &hour);
    printf("Minute: "); scanf("%d", &min);
    printf("%s, %.2d:%.2d\n", day, hour, min);
}
```

```
Day:    Monday
Hour:   6
Minute: 5
Monday, 06:05
```

Low-level and unsafe, C++ provides better alternatives.



C++ I/O Streams



C++ I/O is based on the concept of "streams".

- Stream: an abstraction of an input/output device.
 - A sequence of characters (bytes) flowing from/to a source/sink.
- Stream sources/sinks may be **physical devices**.
 - Console, keyboard, disk file, ...
 - Characters written/read are physically input/output.
- Stream sources/sinks may be **abstract devices**.
 - Strings, buffers, ...
 - Characters written/read are transferred to/from data object.

Class `fstream` (file streams).

Class `stringstream` (string streams).

By this abstraction, the same program can operate without significant modification on a multitude of different devices.


I/O Operators

The shift operators are overloaded for all kinds of streams.

- Writing: `operator<<`
 - `out << val`: write value `val` to output stream `out`.
- Reading: `operator>>`
 - `in >> var`: read value from input stream `in` into variable `var`.
- Typical: chaining of multiple operations on a stream.
 - Write multiple values to an output stream:
`out << val1 << val2 << ...;`
 - Read multiple values from an input stream:
`in >> var1 >> var2 >> ...;`

The operators can be also overloaded for user-defined datatypes.

Reading a Sequence of Values




A common pattern for reading a sequence of values.

```
while (true)
{
    int input;
    cin >> input;
    if (!cin) break;
    ... // process input
}
```

- The conversion of a stream to a boolean indicates the success of the last operation on that stream.
 - If (!cin) yields "true", the last operation on cin has failed (e.g. because of an unsuccessful attempt to read from the stream).

Check the status of input stream after every read operation!



I/O Manipulators

Manipulators can be inserted into a stream to influence its behavior.

```
out << val1 << endl << val2; // insert new line
in >> var1 >> ws >> var2; // eat white space
```

- **<iostream>**: input/output manipulators.


- endl: insert new line and flush.
- ends: insert null character and flush.
- flush: flush stream buffer.
- ws: eat white space.

- **<iostream>**: formatting flags manipulators.


- dec/hex/oct: use decimal/hexadecimal/octal number base.
- skipws/noskipws: (do not) skip white space.
- ...

- **<iomanip>**: parameterized manipulators.

- setprecision(n): set output precision to n digits.
- setw(n): set field width of output to n characters.
- ...



I/O Manipulators



cplusplus.com: "C++ Reference".

```
Independent flags (switch on):
boolalpha      Alphanumerical bool values (manipulator function)
showbase        Show numerical base prefixes (manipulator function)
showpoint      Show decimal point (manipulator function)
showpos        Show positive signs (manipulator function)
skipws         Skip whitespaces (manipulator function)
unitbuf        Flush buffer after insertions (manipulator function)
uppercase       Generate upper-case letters (manipulator function)

Independent flags (switch off):
noboolalpha    No alphanumerical bool values (manipulator function)
noshowbase     Do not show numerical base prefixes (manipulator function)
noshowpoint    Do not show decimal point (manipulator function)
noshowpos      Do not show positive signs (manipulator function)
noskipws       Do not skip whitespaces (manipulator function)
nounitbuf     Do not force flushes after insertions (manipulator function)
nouppercase    Do not generate upper case letters (manipulator function)
```

Example

cplusplus.com: "C++ Reference".

```
#include <iostream>
using namespace std;

int main () {
    char a[10], b[10];

    cin >> noskipws;
    cin >> a >> ws >> b;
    cout << a << "," << b << endl;
```

```
    return 0;
}
```


Input:

```
one
    two
```

Output:

```
one,two
```

I/O Manipulators



Numerical base format flags ("basefield" flags):

```
dec      Use decimal base (manipulator function)
hex      Use hexadecimal base (manipulator function)
oct      Use octal base (manipulator function)
```

Floating-point format flags ("floatfield" flags):

```
fixed     Use fixed-point notation (manipulator function)
scientific Use scientific notation (manipulator function)
```

Adjustment format flags ("adjustfield" flags):


```
internal Adjust field by inserting characters at an internal position (m.f.)
left      Adjust output to the left (manipulator function)
right     Adjust output to the right (manipulator function)
```

Input manipulators

```
ws      Extract whitespaces (manipulator function)
```

Output manipulators

```
endl    Insert newline and flush (manipulator function)
ends    Insert null character (manipulator function)
flush   Flush stream buffer (manipulator function)
```



Example


cplusplus.com: "C++ Reference".

```
#include <iostream>
using namespace std;

int main () {
    int n;
    n=70;
    cout << dec << n << endl;
    cout << hex << n << endl;
    cout << oct << n << endl;
    return 0;
}
```

```
70
46
106
```

I/O Manipulators




cplusplus.com: "C++ Reference".

Parameterized manipulators

These functions take parameters when used as manipulators. They require the explicit inclusion of the header file <iomanip>.

```
setiosflags  Set format flags (manipulator function)
resetiosflags Reset format flags (manipulator function)
setbase      Set basefield flag (manipulator function)
setfill      Set fill character (manipulator function)
setprecision Set decimal precision (manipulator function)
setw        Set field width (manipulator function)
```



Example


cplusplus.com: "C++ Reference".

```
#include <iostream>
#include <iomanip>
using namespace std;

int main () {
    double f = 3.14159;
    cout << setprecision (5) << f << endl; // up to 5 digits (both sides of ".")
    cout << setprecision (9) << f << endl; // up to 9 digits (both sides of ".")
    cout << fixed;
    cout << setprecision (5) << f << endl; // exactly 5 digits to the right of "."
    cout << setprecision (9) << f << endl; // exactly 9 digits to the right of "."
    return 0;
}
```

```
3.1416
3.14159
3.14159
3.141590000
```

Example



cplusplus.com: "C++ Reference".

```
#include <iostream>
using namespace std;

int main () {
    int n;
    n=-77;
    cout << setw(6);
    cout << internal << n << endl;
    cout << left << n << endl;
    cout << right << n << endl;
    return 0;
}


- 77
-77
-77
```

Wolfgang Schreiner

<https://www.risc.jku.at>

37/50

Example



cplusplus.com: "C++ Reference" (modified).

```
#include <iostream>
#include <sstream>
using namespace std;

int main () {
    int val;
    stringstream ss;

    ss << "120 42 377 6 5 2000";

    for (int n=0; n<6; n++)
    {
        ss >> val;
        cout << val*2 << endl;
    }


    return 0;
}
```

Wolfgang Schreiner

<https://www.risc.jku.at>

39/50

String Streams



cplusplus.com: "C++ Reference"

stringstream
Input/output string stream class

stringstream provides an interface to manipulate strings as if they were input/output streams.

The objects of this class maintain internally a pointer to a stringbuf object that can be obtained/modified by calling member rdbuf. This streambuf-derived object controls a sequence of characters (string) that can be obtained/modified by calling member str.


We can use I/O operations to construct strings and parse them.

Wolfgang Schreiner

<https://www.risc.jku.at>

38/50

File Streams



cplusplus.com: "C++ Reference".

fstream
Input/output file stream class

fstream provides an interface to read and write data from files as input/output streams.

The objects of this class maintain internally a pointer to a filebuf object that can be obtained by calling member rdbuf.

The file to be associated with the stream can be specified either as a parameter in the constructor or by calling member open.

After all necessary operations on a file have been performed, it can be closed (or disassociated) by calling member close. Once closed, the same file stream object may be used to open another file.

The member function is_open can be used to determine whether the stream object is currently associated with a file.

File streams represent the contents of files (not the file system data).

Wolfgang Schreiner

<https://www.risc.jku.at>

40/50

Examples


```
#include <fstream>
#include <iostream>
using namespace std;

// read from file in.txt, let constructor open file
int main () {
    fstream in ("in.txt", fstream::in);
    if (!in) return;
    // input operations (in >> var)
    in.close();
    return 0;
}


// append to file out.txt, call open() for opening file
int main () {
    fstream out;
    out.open("out.txt", fstream::out | fstream::app);
    if (!out) return;
    // output operations (out << value)
    out.close();
    return 0;
}
```

Wolfgang Schreiner

<https://www.risc.jku.at>



41/50



Constructing a File Stream

cplusplus.com: "C++ Reference".

`fstream::fstream` constructor member

```
fstream ();
explicit fstream ( const char * filename,
                    ios_base::openmode mode = ios_base::in | ios_base::out );
```

Construct object and optionally open file

Constructs an object of the `fstream` class. This implies the initialization of the associated `filebuf` object and the call to the constructor of its base class with the `filebuf` object as parameter.

Additionally, when the second constructor version is used, the stream is associated with a physical file as if a call to the member function `open` with the same parameters was made.


If the constructor is not successful in opening the file, the object is still created although no file is associated to the stream buffer and the stream's `failbit` is set (which can be checked with inherited member `fail`).

Wolfgang Schreiner

<https://www.risc.jku.at>

42/50

Opening a File Stream



cplusplus.com: "C++ Reference".

`fstream::open` public member function

```
void open ( const char * filename,
            ios_base::openmode mode = ios_base::in | ios_base::out );
```

Open file

Opens a file whose name is `s`, associating its content with the stream object to perform input/output operations on it. The operations allowed and some operating details depend on parameter `mode`.

The function effectively calls `rdbuf()>open(filename,mode)`.


If the object already has a file associated (`open`), the function fails.

On failure, the `failbit` flag is set (which can be checked with member `fail`), and depending on the value set with exceptions an exception may be thrown.

Wolfgang Schreiner

<https://www.risc.jku.at>

43/50



File Modes

`ios_base::openmode` public member type

Bitmask type to represent stream opening mode flags. A value of this type can be any valid combination of the following member constants:

flag value opening mode

app	(append) Set the stream's position indicator to the end of the stream before each output operation.
ate	(at end) Set the stream's position indicator to the end of the stream on opening.
binary	(binary) Consider stream as binary rather than text.
in	(input) Allow input operations on the stream.
out	(output) Allow output operations on the stream.
trunc	(truncate) Any current content is discarded, assuming a length of zero on opening.


These constants are defined in the `ios_base` class as public members. Therefore, they can be referred to either directly by their name as `ios_base` members (like `ios_base::in`) or by using any of their inherited classes or instantiated objects, like for example `ios::ate` or `cout.out`.

Wolfgang Schreiner

<https://www.risc.jku.at>

44/50

Closing a File Stream



cplusplus.com: "C++ Reference".

`fstream::close` public member function

`void close ();`

Close file

Closes the file currently associated with the object, disassociating it from the stream. Any pending output sequence is written to the physical file.

The function effectively calls `rdbuf()>close()`.

The function fails if no file is currently open (associated) with this object.

On failure, the `failbit` internal state flag is set (which can be checked with member `fail`), and depending on the value set with exception an exception may be thrown.


Before a file stream is closed, it is not guaranteed that data are on disk.

Wolfgang Schreiner

<https://www.risc.jku.at>

45/50

Example



cplusplus.com: "C++ Reference".

```
#include <fstream>
using namespace std;

int main () {
    fstream outfile ("test.txt", ios::out);

    for (int n=0; n<100; n++) {
        outfile << n << " "; // alternative: outfile << n << " " << flush;
        outfile.flush();
    }

    outfile.close();


    return 0;
}
```

Wolfgang Schreiner

<https://www.risc.jku.at>

47/50

Flushing a Stream



cplusplus.com: "C++ Reference".

`ostream::flush`

public member function

`ostream& flush ();`

Flush output stream buffer

Synchronizes the buffer associated with the stream to its controlled output sequence. This effectively means that all unwritten characters in the buffer are written to its controlled output sequence as soon as possible ("flushed").

The function only has meaning for buffered streams, in which case it effectively calls the `pubsync` member of the `streambuf` object (`rdbuf()>pubsync()`) associated to the stream.

A manipulator exists with the same name and behavior (see `flush` manipulator).


Typically applied in long running programs to make sure that output generated so far is on disk (not all data are lost when computer fails).

Wolfgang Schreiner

<https://www.risc.jku.at>

46/50

Input/Output File Streams



cplusplus.com: "C++ Reference".

`ifstream`

class

Input file stream

`ifstream` provides an interface to read data from files as input streams.

`ifstream();`

explicit `ifstream (const char* filename, ios_base::openmode mode = ios_base::in);`
`void open(const char* filename, ios_base::openmode mode = ios_base::in);`

`ofstream`

class

Output file stream

`ofstream` provides an interface to write data to files as output streams.

`ofstream();`

explicit `ofstream(const char* filename, ios_base::openmode mode = ios_base::out);`
`void open(const char* filename, ios_base::openmode mode = ios_base::out);`


Specialized to support only the corresponding read/write operations.

Wolfgang Schreiner

<https://www.risc.jku.at>

48/50

Copying a File of Integers



```
#include <iostream>
#include <fstream>
using namespace std;

int intFileCopy(char* inName, char* outName) throw(string);


int main(int argc, char* argv[]) {
    if (argc != 3) {
        cout << "Usage: intCopy <infile> <outfile>" << endl;
        return -1;
    }
    try {
        int n = intFileCopy(argv[1], argv[2]);
        cout << n << " values copied" << endl;
    }
    catch(string& message) {
        cerr << "Error: " << message << endl;
    }
    return 0;
}
```

Wolfgang Schreiner

<https://www.risc.jku.at>

49/50

Copying a File of Integers (Contd)



```
int intFileCopy(char* inName, char* outName) throw(string) {
    ifstream in(inName);
    if (!in) throw string("could not open input file");

    ofstream out(outName);
    if (!out) { in.close(); throw string("could not open output file"); }

    int i = 0;
    while (true) {
        int input;
        in >> input;
        if (!in) break;
        out << input << endl;
        i = i+1;
    }

    in.close();
    out.close();

    return i;
}
```

Wolfgang Schreiner

<https://www.risc.jku.at>

50/50